

ADCK[®]

ARMI DALLERA CUSTOM



CATALOG

RIFLES SERIES
ACCESSORIES
SMALL PARTS



CATALOG

FIREARMS

M5	Page 4
SPARTAN	Page 6
CUSTOM	Page 10
COMPETITION	Page 16


ACCESSORIES

COMPENSATORS	Page 18
HANDGUARDS	Page 20
BOLTS & CARRIERS	Page 22

SMALL PARTS

GAS BLOCK	Page 24
SMALL PARTS	Page 25

FIREARMS





 **ACCURACY
EXPERIENCE**



THE M5 SERIES HAS BEEN DESIGNED TO EXPAND THE OFFER TO A COMPETITIVE MARKET, BUT NOT ALWAYS ATTENTIVE TO QUALITY. ADC WITH THIS ENTRY-LEVEL PRODUCT DIFFERS BY MAINTAINING THE "STYLE" WITH WHICH IT IS AFFIRMED OVER THE YEARS, OFFERING AN ADVANTAGEOUS PRICE AND THUS ALLOWING THE USE OF A PRODUCT ENTIRELY MADE IN ITALY TO THE NEOPHYTES WHO APPROACH THE RIFLE SHOT.

M5



CALIBRE : 223

LENGHT : 12,5" – 14,5"

TWIST RATE : 1/9"

UPPER : MACHINED FROM MIL SPEC FORGED - AL7075T6
HARD BLACK ANODIZED
M4 FEED RAMPS

LOWER : MACHINED FROM MIL SPEC FORGED - AL7075T6
HARD BLACK ANODIZED

BARREL : HAMMER FORGED NITRIDED - HEAVY PROFILE - THREAD: 1/2 X 28
WITH A2 FLASH HIDER

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE

BOLT CARRIER GROUP : PRISMATIC HEAVY PHOSPHATE

HANDGUARD : FREE FLOAT ROUND, WITH FULL SIZE PICATINNY
KEYMODE SYSTEM, INCLUDED N.02 SLOTS

TRIGGER : MIL SPEC

STOCK : TUBE MIL SPEC COLLAPSIBLE



THE M5 PLUS WAS CREATED TO REFINE AESTHETICS AND TO OFFER A GREATER AVAILABILITY OF CALIBER AND LENGTH OF BARREL.

M5 PLUS



CALIBRE : 223 / 300AAC

LENGHT : 12,5" – 14,5" – 16" (CAL.223) / 14,5" (CAL.300AAC)

TWIST RATE : 1/9" (CAL. 223) – 1/8" (CAL. 300AAC)

UPPER : MACHINED FROM MIL SPEC FORGED - AL7075T6
HARD BLACK ANODIZED
M4 FEED RAMPS

LOWER : MACHINED FROM MIL SPEC FORGED - AL7075T6
HARD BLACK ANODIZED

BARREL : HAMMER FORGED NITRIDED - HEAVY PROFILE - THREAD: 1/2 X 28
WITH A2 FLASH HIDER OR 5/8X24 WITH MUZZLE BRAKE

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE

BOLT CARRIER GROUP : PRISMATIC HEAVY PHOSPHATE

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FULL SIZE PICATINNY - CNC
MACHINED - M-LOK SYSTEM - 12"

TRIGGER : MIL SPEC

STOCK : MIL SPEC COLLAPSIBLE



THE SPARTAN SERIES, ORIGINALLY CONCEIVED AS "BASIC", IT HAS GAVE SOON HIS "ENTRY-LEVEL" TITLE TO THE M5 SERIES, SINCE THE CARE OF BOTH TECHNICAL AND AESTHETIC DETAILS DID NOT ALLOW IT TO BE IDENTIFIED AS SUCH.

THE UPPER AND THE LOWER, ALTHOUGH FULLY MIL-SPEC COMPATIBLE, DIFFER VISIBLY FROM THE COMPONENTS OF THE COMMON AR PLATFORMS AND THEY ARE EASILY IDENTIFIABLE AS THE TRUE MADE IN ITALY FOR ATTENTION TO DESIGN AND EVERY DETAIL.

SPARTAN



CALIBRE : 223 / 300AAC

LENGHT : 12,5" - 14,5" - 16" (CAL.223) / 12,5" - 14,5" (CAL.300AAC)

TWIST RATE : 1/9 (CAL.223) - 1/8 (CAL.300AAC)

UPPER : FORGED AND MACHINED FROM OUR DESIGN BILLET - AL7075T6
HARD BLACK ANODIZED
MIL-SPEC AND M4 FEED RAMPS
MADE STRONGER THAN OTHER SIMILAR COMMERCIALY RIFLE



LOWER : FORGED AND MACHINED FROM OUR DESIGN BILLET - AL7075T6
HARD BLACK ANODIZED
ENHANCED FLARED/MAGAZINE - INTEGRAL TRIGGER GUARD
MADE STRONGER THAN OTHER SIMILAR COMMERCIALY

BARREL : HAMMER FORGED NITRIDED - HEAVY PROFILE - THREAD: 1/2 X 28 OR 5/8X24

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE

BOLT CARRIER GROUP : PRISMATIC HEAVY PHOSPHATE

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FULL SIZE PICATINNY WITH DIAGONAL CUT - CNC MACHINED - M-LOK SYSTEM - FULL SIZE BARREL

TRIGGER : MIL SPEC WITH LIGHTWEIGHT SPRINGS

STOCK : TUBE MIL SPEC COLLAPSIBLE



AVAILABLE IN TWO DIFFERENT CALIBER, 223 REM AND 300AAC; FOR THIS LAST CALIBER IT IS AVAILABLE ALSO THE PISTOL VERSION WITH 9.5" BARREL

SPARTAN PISTOL



CALIBRE : 300AAC

LENGHT : 9,5"

TWIST RATE : 1/8"

UPPER : FORGED AND MACHINED FROM OUR DESIGN BILLET - AL7075T6
HARD BLACK ANODIZED
MIL-SPEC AND M4 FEED RAMPS
MADE STRONGER THAN OTHER SIMILAR COMMERCIALY RIFLE



LOWER : FORGED AND MACHINED FROM OUR DESIGN BILLET - AL7075T6
HARD BLACK ANODIZED
ENHANCED FLARED/MAGAZINE - INTEGRAL TRIGGER GUARD
MADE STRONGER THAN OTHER SIMILAR COMMERCIALY



BARREL : HAMMER FORGED NITRIDED - HEAVY PROFILE - THREAD: 5/8X24 WITH MUZZLE BRAKE

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE

BOLT CARRIER GROUP : PRISMATIC HEAVY PHOSPHATE

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FULL SIZE PICATINNY WITH DIAGONAL CUT - CNC MACHINED - M-LOK SYSTEM - FULL SIZE BARREL

TRIGGER : MIL SPEC WITH LIGHTWEIGHT SPRINGS

STOCK : TUBE MIL SPEC COLLAPSIBLE



THE SPARTAN PRECISION MODEL MOUNTS A LOTHAR WALTER BARREL - BULL PROFILE

PRECISION



CALIBRE : 223

LENGHT : 20"

TWIST RATE : 1/9

UPPER : FORGED AND MACHINED FROM OUR DESIGN BILLET - AL7075T6
HARD BLACK ANODIZED
MIL-SPEC AND M4 FEED RAMPS
STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

MADE



LOWER : FORGED AND MACHINED FROM OUR DESIGN BILLET - AL7075T6
HARD BLACK ANODIZED
ENHANCED FLARED/MAGAZINE - INTEGRAL TRIGGER GUARD
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL

BARREL : LOTHAR WALTHER - BULL PROFILE

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE .936

BOLT CARRIER GROUP : PRISMATIC HEAVY PHOSPHATE

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FULL SIZE PICATINNY WITH
DIAGONAL CUT - CNC MACHINED - M-LOK SYSTEM - 15,5"

TRIGGER : MIL SPEC WITH LIGHTWEIGHT SPRINGS

STOCK : FIXED A2



THE CUSTOM SERIES HAS BEEN DESIGNED TO MEET THE NEEDS OF THE MOST EXPERIENCED SHOOTERS; THE MOST CHARACTERISTIC FEATURE OF THIS SERIES IS THE ABANDONMENT OF THE IDEA OF THE "STANDARD" PRODUCT IN FAVOR OF CUSTOMIZATION, FROM THE DESIGN OF THE WEAPON TO THE FINISHING REQUESTED BY THE CUSTOMER.

THE UPPER AND LOWER ARE BILLET CNC MACHINED, ENRICHED WITH AMBIDEXTROUS CONTROLS, THEIR DESIGN HAS BEEN IMPROVED BOTH AESTHETICALLY AND FUNCTIONALLY.

ELITE



CALIBRE : 223 / 300AAC

LENGHT : 12,5" - 14,5" - 16" - 18" (CAL.223) / 12,5" - 14,5" (CAL.300AAC)

TWIST RATE : 1/9 (CAL.223) - 1/8 (CAL.300AAC)

UPPER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY AND M4 FEED RAMPS
WITHOUT FORWARD ASSIST
CHARGING HANDLE WITH TACTICAL LATCH OVERSIZE AMBI
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

LOWER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY
ENHANCED FLARED/MAGWELL MAGAZINE
INTEGRAL TRIGGER GUARD, GREAT FOR GLOVES USE
AMBI SELECTOR
MAG. RELEASE OVERSIZE
AMBI BOLT CATCH
ANTI ROTATION TRIGGER PIN
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

BARREL : HAMMER FORGED NITRIDED - HEAVY PROFILE - THREAD: 1/2 X 28
WITH COMPENSATOR

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE

BOLT CARRIER GROUP : STAINLESS STEEL WITH QPQ TREATMENT
ANTIFRICTION - BLACK

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FOUR FRONTAL PICATINNY -
ORIGINAL DESIGN - CNC MACHINED - M-LOK SYSTEM - FULL SIZE BARREL

TRIGGER : U.L.T.R.A. - ADJUSTABLE - 2,5LB

STOCK : TUBE MIL SPEC COLLAPSIBLE

AS WITH THE SPARTAN VERSION, IT IS AVAILABLE IN TWO DIFFERENT CALIBERS, 223 REM AND 300AAC.

ELITE PISTOL



CALIBRE : 300AAC

LENGHT : 9,5"

TWIST RATE : 1/8

UPPER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY AND M4 FEED RAMPS
WITHOUT FORWARD ASSIST
CHARGING HANDLE WITH TACTICAL LATCH OVERSIZE AMBI
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

LOWER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY
ENHANCED FLARED/MAGWELL MAGAZINE
INTEGRAL TRIGGER GUARD, GREAT FOR GLOVES USE
AMBI SELECTOR
MAG. RELEASE OVERSIZE
AMBI BOLT CATCH
ANTI ROTATION TRIGGER PIN
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

BARREL : HAMMER FORGED NITRIDED - HEAVY PROFILE -
THREAD: 5/8X24 WITH MUZZLE BRAKE

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE

BOLT CARRIER GROUP : STAINLESS STEEL WITH QPQ TREATMENT
ANTIFRICTION - BLACK

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FOUR FRONTAL PICATINNY -
ORIGINAL DESIGN - CNC MACHINED - M-LOK SYSTEM - FULL SIZE BARREL

TRIGGER : U.L.T.R.A. - ADJUSTABLE - 2,5LB

STOCK : TUBE MIL SPEC COLLAPSIBLE



THE LCS - "LEFT CHARGING SYSTEM" - RECIPROCATING STEEL CHARGING HANDLE, ATTACHED TO A MODIFIED CARRIER AND UPPER RECEIVER. FACILITATES THE CHARGING OPERATION WITHOUT LEAVING THE LINE OF SIGHT, DESIGNED FOR USE BOTH COMPETITIVE AND TACTICAL. MADE AFTER CAREFUL ERGONOMIC STUDIES AND EXTENSIVE FIELD TRIALS

LCS



CALIBRE : 223 / 300AAC

LENGHT : 12,5" - 14,5" - 16" - 18" (CAL.223) / 12,5" - 14,5" (CAL.300AAC)

TWIST RATE : 1/9 (CAL.223) - 1/8 (CAL.300AAC)

UPPER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY AND M4 FEED RAMPS
WITHOUT FORWARD ASSIST
LEFT RELOADING SYSTEM
CHARGING HANDLE WITH TACTICAL LATCH OVERSIZE AMBI
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

LOWER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
SPEC COMPATIBILITY
ENHANCED FLARED/MAGWELL MAGAZINE
INTEGRAL TRIGGER GUARD, GREAT FOR GLOVES USE
AMBI SELECTOR
MAG. RELEASE OVERSIZE
AMBI BOLT CATCH - ANTI ROTATION TRIGGER PIN
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL

BARREL : HAMMER FORGED NITRIDED - HEAVY PROFILE -
THREAD : 1/2 X 28 OR 5/8X24

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE

BOLT CARRIER GROUP : STAINLESS STEEL WITH QPQ TREATMENT
ANTIFRICTION - BLACK

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FOUR FRONTAL PICATINNY -
ORIGINAL DESIGN - CNC MACHINED - M-LOK SYSTEM - FULL SIZE BARREL

TRIGGER : U.L.T.R.A. - ADJUSTABLE - 2,5LB

STOCK : TUBE MIL SPEC COLLAPSIBLE

MIL

THE LCS MODEL IS ALSO AVAILABLE IN PISTOL VERSION

LCS PISTOL



CALIBRE : 300AAC

LENGHT : 9,5"

TWIST RATE : 1/8

UPPER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY AND M4 FEED RAMPS
WITHOUT FORWARD ASSIST
LEFT RELOADING SYSTEM
CHARGING HANDLE WITH TACTICAL LATCH OVERSIZE AMBI
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

LOWER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY
ENHANCED FLARED/MAGWELL MAGAZINE
INTEGRAL TRIGGER GUARD, GREAT FOR GLOVES USE
AMBI SELECTOR
MAG. RELEASE OVERSIZE
AMBI BOLT CATCH - ANTI ROTATION TRIGGER PIN
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL

BARREL : HAMMER FORGED NITRIDED - HEAVY PROFILE -
THREAD : 5/8X24 WITH MUZZLE BRAKE

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE

BOLT CARRIER GROUP : STAINLESS STEEL WITH QPQ TREATMENT
ANTIFRICTION - BLACK

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FOUR FRONTAL PICATINNY -
ORIGINAL DESIGN - CNC MACHINED - M-LOK SYSTEM - FULL SIZE BARREL

TRIGGER : U.L.T.R.A. - ADJUSTABLE - 2,5LB

STOCK : TUBE MIL SPEC COLLAPSIBLE



THE PRECISION CUSTOM MODEL, EQUIPPED WITH SPECIFIC CHARACTERISTICS DESIGNED FOR THE LONG-DISTANCE SHOOTING.

PRECISION CUSTOM



CALIBRE : 223

LENGHT : 20" - 22" - 24"

TWIST RATE : 1/9 - 1/8

UPPER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY AND M4 FEED RAMPS
WITHOUT FORWARD ASSIST
CHARGING HANDLE WITH TACTICAL LATCH OVERSIZE AMBI
MADE STRONGER THAN OTHER SIMILAR COMMERCIALY RIFLE

LOWER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY
ENHANCED FLARED/MAGWELL MAGAZINE
INTEGRAL TRIGGER GUARD, GREAT FOR GLOVES USE
AMBI SELECTOR
MAG. RELEASE OVERSIZE
AMBI BOLT CATCH - ANTI ROTATION TRIGGER PIN
MADE STRONGER THAN OTHER SIMILAR COMMERCIALY

BARREL : LOTHAR WALTHER - BULL PROFILE

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE .936

BOLT CARRIER GROUP : STAINLESS STEEL WITH QPQ TREATMENT
ANTIFRICTION - BLACK

HANDGUARD : OCTAGONAL FREE FLOAT SLIM WITH FOUR FRONTAL PICATINNY -
ORIGINAL DESIGN - CNC MACHINED - M-LOK SYSTEM - 15,5"

TRIGGER : U.L.T.R.A. - ADJUSTABLE - 2,5LB

STOCK : FIXED

RIGHT CHARGING SYSTEM, RECIPROCATING STEEL CHARGING HANDLE, ATTACHED TO A MODIFIED CARRIER AND UPPER RECEIVER.
FACILITATES THE CHARGING OPERATION WITHOUT LEAVING THE LINE OF SIGHT. DESIGNED FOR USE BOTH ACCURACY COMPETITION
AND TACTICAL. HIGH PICATINNY FOR USE OPTICS WITH BIG LENS.
MADE AFTER CAREFUL ERGONOMIC STUDIES AND EXTENSIVE FIELD TRIALS

TARGET LR



CALIBRE : 223

LENGHT : 20" - 22" - 24"

TWIST RATE : 1/9 - 1/8

UPPER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY AND M4 FEED RAMPS - WITH HIGH PICATINNY
WITHOUT FORWARD ASSIST - WITHOUT DUST COVER
WITHOUT CHARGING HANDLE - WITH RIGHT CHARGING SYSTEM
MADE STRONGER THAN OTHER SIMILAR COMMERCIALY RIFLE

LOWER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY
ENHANCED FLARED/MAGWELL MAGAZINE
INTEGRAL TRIGGER GUARD, GREAT FOR GLOVES USE
AMBI SELECTOR - MAG. RELEASE OVERSIZE
AMBI BOLT CATCH - ANTI ROTATION TRIGGER PIN
MADE STRONGER THAN OTHER SIMILAR COMMERCIALY

BARREL : LOTHAR WALTHER BARREL - BULL PROFILE

GAS SYSTEM : LOW PROFILE .936" CNC MACHINED OF HARDENED STEEL

BOLT CARRIER GROUP : STAINLESS STEEL WITH QPQ TREATMENT
ANTIFRICTION - BLACK

HANDGUARD : CNC MACHINED, FREE FLOATED ROUND VENTILATED
WITH N.02 SLOT PICATINNY ADJ EVERY 22,5"
POSSIBILITY TO REGULATE THE GAS BLOCK FROM OUTSIDE WITHOUT REMOVE THE
HANDGUARD
GRIP TREATMENT - 4RAIL IN ALTERNATIVE
HARD BLACK ANODIZED

TRIGGER : U.L.T.R.A. - ADJUSTABLE - 2,5LB

STOCK : FIXED



THE COMPETITION SERIES, OUR CROWN JEWEL, IS THE RESULT OF CAREFUL STUDIES THAT HAVE LED TO THE REALIZATION OF CARBINES IDEAL FOR SPORTING ACTIVITIES AT THE HIGHEST LEVELS.

AVAILABLE IN TWO VERSIONS: 3GUN AND 3GUN MATCH GRADE, THE TWO MODELS DIFFER ESSENTIALLY IN TERMS OF THE UPPER AND LOWER, THE FIRST FORGED AND THE SECOND BILLED MACHINED. THE MATCH GRADE VERSION CAN ALSO BE CALLED "FULL OPTIONAL", OFFERING A RANGE OF ACCESSORIES SPECIFICALLY DESIGNED TO MAXIMIZE PRACTICALITY DURING COMPETITIONS, FIRST THE AMBI CHARGING SYSTEM, UNIQUE OF A KIND AND DISTINCTIVE REASON.

3GUN



REAR SIGHTS NOT INCLUDED

CALIBRE : 223

LENGHT : 18" - 20"

TWIST RATE : 1/9

UPPER : FORGED AND MACHINED FROM OUR DESIGN BILLET - AL7075T6
HARD BLACK ANODIZED
MIL-SPEC AND M4 FEED RAMPS
CHARGING HANDLE WITH TACTICAL LATCH AMBI OVERSIZE
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

LOWER : FORGED AND MACHINED FROM OUR DESIGN BILLET - AL7075T6
HARD BLACK ANODIZED
ENHANCED FLARED/MAGWELL MAGAZINE - INTEGRAL TRIGGER GUARD - MAG.
RELEASE OVS - BOLT CATCH OVS
SELECTOR AMBI 45°
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

BARREL : LOTHAR WALTHER - 3GUN PROFILE - THREAD: 1/2X28 WITH SPORT COMPENSATOR

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE ADJUSTABLE

BOLT CARRIER GROUP : STAINLESS STEEL - LIGHTWEIGHT WITH QPQ TREATMENT ANTI-FRICTION - BLACK

HANDGUARD : CNC MACHINED, FREE FLOATED ROUND VENTILATED, WITH N.02 SLOT PICATINNY, ADJ EVERY 22,5°
POSSIBILITY TO REGULATE THE GAS BLOCK FROM OUTSIDE WITHOUT REMOVE THE HANDGUARD

TRIGGER : MIL SPEC WITH LIGHTWEIGHT SPRINGS

STOCK : FIXED COMPETITION

AMBI CHARGING SYSTEM, RECIPROCATING STEEL CHARGING HANDLE, ATTACHED TO A MODIFIED CARRIER AND UPPER RECEIVER. FACILITATES THE CHARGING OPERATION WITHOUT LEAVING THE LINE OF SIGHT, DESIGNED FOR PROFESSIONAL COMPETITION USE.
MADE AFTER CAREFUL ERGONOMIC STUDIES AND EXTENSIVE FIELD TRIALS.

3GUN MATCH GRADE



CALIBRE : 223

LENGHT : 18" - 20"

TWIST RATE : 1/9

UPPER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY
M4 FEED RAMPS - WITHOUT FORWARD ASSIST
AMBI CHARGING SYSTEM
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

LOWER : CNC MACHINED FROM OUR DESIGN BILLET - AL 7075T6
HARD BLACK ANODIZED
MIL SPEC COMPATIBILITY
ENHANCED FLARED/MAGWELL MAGAZINE
INTEGRAL TRIGGER GUARD, GREAT FOR GLOVES USE
AMBI SELECTOR
MAG. RELEASE OVERSIZE
AMBI BOLT CATCH
ANTI ROTATION TRIGGER PIN
MADE STRONGER THAN OTHER SIMILAR COMMERCIAL RIFLE

BARREL : LOTHAR WALTHER - 3GUN PROFILE - STAINLESS STEEL WITH RIFLE GAS PORT - THREAD: 1/2X28

GAS SYSTEM : DIRECT GAS IMPINGEMENT WITH GAS BLOCK LOW PROFILE ADJUSTABLE

BOLT CARRIER GROUP : STAINLESS STEEL - LIGHTWEIGHT WITH QPQ TREATMENT ANTI-FRICTION - BLACK

HANDGUARD : CNC MACHINED, FREE FLOATED ROUND VENTILATED, WITH N.02 SLOT PICATINNY, ADJ EVERY 22,5°
POSSIBILITY TO REGULATE THE GAS BLOCK FROM OUTSIDE WITHOUT REMOVE THE HANDGUARD

TRIGGER : U.L.T.R.A. - ADJUSTABLE - 2,5LB

STOCK : FIXED COMPETITION



OPTICS NOT INCLUDED





COMPENSATORS



A2 FLASH HIDER

A COMMON FIVE-DOOR FLASH HIDER THAT WAS BORN TO SUCCESSFULLY CONTROL THE BRIGHTNESS OF THE FLAME, MINIMIZING THE SHOOTER'S EXPOSURE; THE WINDOWS ARE LOCATED ALONG THE TOP AND THE BOTTOM IS CLOSED TO REDUCE DUST PRINTING WHEN SHOOTING PRONE.

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO GUNPOWDER RESIDUES.

THREAD 1/2X28



PLUS

COMPENSATOR IDEAL FOR TACTICAL USE, WHOSE MAXIMUM YIELD IS WITH SHORT BARREL CARBINES. ON OUR M5 PLUS MODEL CARBINE IS STANDARD. THE SHARP FIGURE HAS BEEN CREATED TO MATCH PERFECTLY TO THE DESIGN OF THE ADC HANDGUARD.

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO GUNPOWDER RESIDUES.

THREAD 1/2X28



SKELETON

COMPENSATOR IDEAL FOR TACTICAL USE, WHOSE MAXIMUM YIELD IS WITH SHORT BARREL CARBINES. THE SHARP FIGURE HAS BEEN CREATED TO MATCH PERFECTLY TO THE DESIGN OF THE ADC HANDGUARD, THE CHOICE TO DRAW SLOPING WINDOWS WAS DONE IN ORDER TO DAMPEN THE RECOIL (THE ONLY DIFFERENCE FROM THE PLUS COMPENSATOR).

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO GUNPOWDER RESIDUES.

THREAD 1/2X28



SPORT

IDEAL FOR SPORTS ACTIVITIES, IT IS ADVISABLE TO USE IT ON LONG BARREL CARBINES, BOTH FOR CLOSE-RANGE AND LONG-DISTANCE SHOOTING. THE THREE SIDE HOLES IN CONJUNCTION WITH THE VERTICAL HOLE PROVIDE BALANCE AND NEUTRALITY DURING SHOT, MINIMIZING THE NOSE-UP AND GETTING BACK ON TARGET CRACKING FOLLOWUP SHOTS AS FAST AS POSSIBLE. DISTINGUISHED BY AN ELONGATED SHAPE, THE UPPER AND LOWER GROOVES GIVE A TAPERED LINE TO IT. EXCELLENT VALUE FOR MONEY.

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO GUNPOWDER RESIDUES.

THREAD 1/2X28



TACTICAL

COMPENSATOR IDEAL FOR TACTICAL USE, WHOSE MAXIMUM YIELD IS WITH SHORT BARREL CARBINES. THE SQUARE SIDE WINDOWS HAVE BEEN SPECIALLY DESIGNED TO DAMPEN THE RECOIL, THE HOLES GIVE STABILITY AND NEUTRALITY TO THE WEAPON, MINIMIZING THE NOSE-UP. LASTLY, THE FOUR FRONT PROPELLERS, STAGGERED BY EACH OTHER, ALLOW THE CONTRAST OF THE GROOVES OF THE BARREL, DECREASING THE TWIST. IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HIGH-HARDNESS HEAT TREATMENTS WITH THE DOUBLE END TO MAKE THE NON-STICK SURFACE TO THE GUNPOWDER RESIDUES ON ONE SIDE AND ROBUST ON THE OTHER. THE NEED OF ROBUSTNESS IS ALSO DUE TO THE USE OF THIS COMPENSATOR AS A MEANS OF BREAKING.

THREAD 1/2X28



SPECTRUM

COMPENSATOR IDEAL FOR TACTICAL USE, WHOSE MAXIMUM YIELD IS WITH SHORT BARREL CARBINES. THE SIDE WINDOWS, SPECIALLY TAPERED TO DAMPEN THE RECOIL AND AT THE SAME TIME BREAK THE FLAME. THE UPPER HOLES, ON THE OTHER HAND, GIVE THE WEAPON STABILITY AND NEUTRALITY, MINIMIZING THE NOSE-UP AND REDUCING THE TWIST. LASTLY, THE FOUR FRONTAL TIPS ALLOW THIS COMPENSATOR TO BE USED AS A MEANS OF BREAKING. IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HIGH-HARDNESS HEAT TREATMENTS WITH THE DOUBLE END TO MAKE THE NON-STICK SURFACE TO THE GUNPOWDER RESIDUES ON ONE SIDE AND ROBUST ON THE OTHER.

THREAD 1/2X28



3GUN

COMPENSATOR SPECIALLY DESIGNED FOR SPORTS ACTIVITIES, IT IS IDEAL FOR LONG BARREL CARBINES. ITS SIDE WINDOWS GIVE STABILITY AND NEUTRALITY TO THE WEAPON, MINIMIZING THE NOSE-UP AND GETTING BACK ON TARGET CRACKING FOLLOWUP SHOTS AS FAST AS POSSIBLE. THE SPECIAL RADIAL HOLES LOCATED AT THE BASE OF EACH WINDOW HAVE BEEN SPECIALLY DESIGNED TO DAMPEN THE RECOIL. FUNCTIONAL FOR BOTH CLOSE AND LONG RANGE SHOOTING. THE ELONGATED SHAPE COMBINED WITH THE WINDOWS GIVES A DISTINGUISHABLE AND REFINED IMAGE. IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO GUNPOWDER RESIDUES.

THREAD 1/2X28



ARROW

THIS COMPENSATOR AND RECOIL REDUCER, WITH UNUSUAL AND FUTURISTIC DESIGN, IS DESIGNED TO PROVIDE FINEST SPORTS PERFORMANCE WITH STEEL CASE AMMUNITION.

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO GUNPOWDER RESIDUES.

THREAD 1/2X28



MUZZLE 30

FIVE-DOOR FLASH HIDER, DESIGNATED FOR CALIBER .30, IT WAS BORN TO SUCCESSFULLY CONTROL THE BRIGHTNESS OF THE FLAME, MINIMIZING THE SHOOTER'S EXPOSURE; THE WINDOWS ARE LOCATED ALONG THE TOP AND THE BOTTOM IS CLOSED TO REDUCE DUST PRINTING WHEN SHOOTING PRONE.

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO GUNPOWDER RESIDUES.

THREAD 15/8X24



HANDGUARDS



M5

ROUND, FREE-FLOAT HANDGUARD WITH FULL SIZE PICATINNY- KEYMODE SYSTEM.
LENGTH: 10.5"
WEIGHT (WITHOUT BARREL NUT): 226 GR
WIDTH: 48MM
INSIDE DIAMETER: 45MM

N. 02 SLIDES INCLUDED

M5 PLUS

THE M5 PLUS HANDGUARD IS 100% MADE IN ITALY, CNC MACHINED, IT WAS DESIGNED PRIMARILY TO MAXIMIZE THE PARTICULAR DESIGN THAT FEATURES THE ADC CARBINES, ALLOWING COMPATIBILITY WITH OTHER AR PLATFORMS.
IT IS CHARACTERIZED BY AN OCTAGONAL PROFILE, FREE-FLOAT, SLIM WITH FULL SIZE PICATINNY.
IT IS IMPORTANT TO EMPHASIZE THE USE OF THE MODERN M-LOK SYSTEM.
MATERIAL: 6082 ALUMINUM, HARD BLACK ANODIZING
AVAILABLE LENGTHS: 9" - 12"
WEIGHT (WITHOUT BARREL NUT): 186 GR - 232 GR
WIDTH: 41MM
INSIDE DIAMETER: 35MM

SPARTAN

THE SPARTAN HANDGUARD IS 100% MADE IN ITALY, CNC MACHINED, IT WAS DESIGNED PRIMARILY TO MAXIMIZE THE PARTICULAR DESIGN THAT FEATURES THE ADC CARBINES, ALLOWING COMPATIBILITY WITH OTHER AR PLATFORMS.
IT IS CHARACTERIZED BY AN OCTAGONAL PROFILE, FREE-FLOAT, SLIM WITH FULL SIZE PICATINNY.
IT IS DISTINGUISHED BY THE M5 PLUS FOR THE INCLINED FRONTAL CUT.
IT IS IMPORTANT TO EMPHASIZE THE USE OF THE MODERN M-LOK SYSTEM.
MATERIAL: 6082 ALUMINUM, HARD BLACK ANODIZING
AVAILABLE LENGTHS: 9" - 12" - 14" - 15.5"
WEIGHT (WITHOUT BARREL NUT): 176 GR - 216 GR - 244 GR - 266 GR
WIDTH: 41MM
INSIDE DIAMETER: 35MM




ELITE

THE ELITE HANDGUARD IS 100% MADE IN ITALY, CNC MACHINED, IT WAS DESIGNED PRIMARILY TO MAXIMIZE THE PARTICULAR DESIGN THAT FEATURES THE ADC CARBINES, ALLOWING COMPATIBILITY WITH OTHER AR PLATFORMS.
IT IS CHARACTERIZED BY AN OCTAGONAL PROFILE, FREE-FLOAT, WITH FOUR FRONTAL PICATINNY.
IT IS DISTINGUISHED BY OTHER MODELS FOR FUTURISTIC DESIGN AND FOR THE UPPER INTERRUPTED PICATINNY.
IT IS IMPORTANT TO EMPHASIZE THE USE OF THE MODERN M-LOK SYSTEM.
MATERIAL: 6082 ALUMINUM, HARD BLACK ANODIZING
AVAILABLE LENGTHS: 9" - 12" - 14" - 15.5"
WEIGHT (WITHOUT BARREL NUT): 224 GR - 248 GR - 272 GR - 288 GR
WIDTH: 41MM
INSIDE DIAMETER: 35MM

COMPETITION

THE ELITE HANDGUARD IS 100% MADE IN ITALY, CNC MACHINED, IT WAS DESIGNED SPECIFICALLY FOR SPORTS ACTIVITIES; FOR THIS PURPOSE IT HAS BEEN HEAVILY LIGHTENED BY MAKING MILLINGS WHICH OPTIMIZE ITS GRIP AND ALLOW THE REGULATION OF OUR GAS BLOCK ADJ. FROM THE OUTSIDE.
ROUND, FREE-FLOAT PROFILE, IT HAS DOUBLE BARREL NUT, BOTH INSIDE AND OUTSIDE.
THE HOLES POSITIONED THROUGHOUT ITS LENGTH ALLOW MOUNTING FROM OUTSIDE THE PICATINNY SECTIONS EVERY 22.5°.
MATERIAL: 6082 ALUMINUM, HARD BLACK ANODIZING
AVAILABLE LENGTHS: 15.5"
WEIGHT (WITHOUT BARREL NUT): 208 GR
INSIDE DIAMETER: 50 MM


N. 02 SLITTE INCLUDE



PICATINNY 4"



PICATINNY 8"





BOLT SUPER MATCH

OUR BOLT "SUPER MATCH" IS MADE OF 9310 STEEL, MADE MORE RESISTANT BY NITRIDING AND BLACK PHOSPHATING TREATMENTS THAT INCREASE SURFACE HARDNESS AND CORROSION RESISTANCE COMPARED TO CONVENTIONAL CHROMIUM OR ONLY PHOSPHATING TREATMENTS. ADDING MATERIAL AROUND THE PIN HOLE PROVIDES GREATER STURDINESS AND LESS BREAKS. THE TEETH ARE BEVELED AT 45° IN EACH EDGE TO IMPROVE FLOWABILITY IN SLIDING OPERATIONS. THE EXTRACTOR IS MADE OF S7 STEEL, COMPLETE WITH SPRING, O-RING AND SILICONE INSERTS. IF SOLD JOINTLY TO AN ADC BARREL, THE PROPER HEADSPACE IS GUARANTEED.

WEIGHT: 44 GR



BOLT SUPER COMPETITION

OUR BOLT "SUPER COMPETITION" IS MADE OF 9310 STEEL, MADE MORE RESISTANT BY NITRIDING TREATMENTS THAT INCREASE SURFACE HARDNESS AND CORROSION RESISTANCE COMPARED TO COMMON CHROMIUM OR PHOSPHATING TREATMENTS. ADDING MATERIAL AROUND THE PIN HOLE PROVIDES GREATER STURDINESS AND LESS BREAKS. THE TEETH ARE BEVELED AT 45° IN EACH CORNER, IT DIFFERS FROM THE MATCH VERSION FOR THE PARTICULAR SLOPING CUT OF 5 OF THEM, WHICH FURTHER IMPROVES FLUIDITY IN SLIDING OPERATIONS AND FACILITATES INSERTION INTO THE BARREL EXTENSION. THE EXTRACTOR IS MADE OF S7 STEEL, COMPLETE WITH SPRING, O-RING AND SILICONE INSERTS. IF SOLD JOINTLY TO AN ADC BARREL, THE PROPER HEADSPACE IS GUARANTEED. IDEAL FOR SPORTS ACTIVITIES.

WEIGHT: 42 GR



CARRIER ASSEMBLY M4

OUR "M4" CARRIER, CHARACTERIZED BY MIL-SPEC SPECIFICATIONS, HAS BEEN OPTIMIZED BY INCREASING THE SCROLL GUIDES AND THUS OPTIMIZING CONTACT SURFACES, IT DIFFERS A LITTLE FROM THE COMMON AR-15 FOR THE INCREASED BACK. THE WEIGHT IS 266 GR WITH GAS KEY ASSEMBLED. COMPOSED OF HIGH QUALITY STEEL, ENHANCED BY SPECIFIC HEAT TREATMENTS, IT IS FINISHED WITH BLACK ANTI-CORROSION AND ANTI-FRICTION PHOSPHATIZATION. IT IS AESTHETICALLY DIFFERENT FROM THE OTHER SIMILAR FOR ITS PRISMATIC AND NON-ROUND SHAPE.



CARRIER ASSEMBLY AR15

OUR "AR-15" CARRIER, CHARACTERIZED BY MIL-SPEC SPECIFICATIONS, HAS BEEN OPTIMIZED BY INCREASING THE SCROLL GUIDES AND THUS OPTIMIZING CONTACT SURFACES. THE WEIGHT IS 248 GR WITH GAS KEY ASSEMBLED. COMPOSED OF HIGH QUALITY STEEL, ENHANCED BY SPECIFIC HEAT TREATMENTS, IT IS FINISHED WITH BLACK ANTI-CORROSION AND ANTI-FRICTION PHOSPHATIZATION. IT IS AESTHETICALLY DIFFERENT FROM THE OTHER SIMILAR FOR ITS PRISMATIC AND NON-ROUND SHAPE.



CARRIER ASSEMBLY HEAVY

OUR "HEAVY SS" CARRIER HAS BEEN DESIGNED TO PROVIDE GREATER STABILITY AND ALIGNMENT UNDER FIRE, FOR THIS PURPOSE THE GUIDES HAVE BEEN THICKENED, AS WELL AS THE INCREASED BACK, WHICH HAVE ALLOWED TO ELIMINATE SHAKES WITHIN THE CALCULUM. ITS HEAVY WEIGHT OF 258 GR (WITH GAS KEY ASSEMBLED) MAKES IT IDEAL FOR USE WITH SHORT BARREL CARBINES, USED FOR TACTICAL ACTIVITY. COMPLETELY MADE OF STAINLESS STEEL, IT IS FINISHED WITH ANTI-FRICTION TREATMENTS THAT FAVOR GREATER FLUIDITY IN OPERATION. THE INCREASES GIVE AESTHETIC STRENGTH AND ROUNDNESS.



CARRIER ASSEMBLY MID

OUR "MID" CARRIER, CHARACTERIZED BY MIL-SPEC SPECIFICATIONS, HAS BEEN OPTIMIZED BY INCREASING THE SCROLL GUIDES AND THUS OPTIMIZING CONTACT SURFACES. COMPARED TO THE "AR-15" STANDARD, IT WAS LIGHTENED, NOT TOO INVASIVELY, BY CUTTING OUT FOUR SIDE PORTIONS TO MAKE IT PRACTICAL FOR BOTH SPORT AND TACTICAL USE. THE WEIGHT IS 212 GR WITH GAS KEY ASSEMBLED. COMPOSED OF HIGH QUALITY STEEL, ENHANCED BY SPECIFIC HEAT TREATMENTS, IT IS FINISHED WITH BLACK ANTI-CORROSION AND ANTI-FRICTION PHOSPHATIZATION. THE PRISMATIC SHAPE AND SIDE LIGHTENING MAKE IT EASILY RECOGNIZABLE.



CARRIER ASSEMBLY LIGHT COMPETITION

OUR CARRIER "LIGHT COMPETITION" HAS BEEN DESIGNED TO BE AS LIGHT AS POSSIBLE, WEIGHING ONLY 182 GR WITH GAS KEY ASSEMBLED; IT IS IDEAL FOR SPORT ACTIVITIES, COMBINED WITH ADC ADJUSTABLE GAS BLOCK IT ALLOWS THE CARBINE TO HAVE A GOOD YIELD. COMPLETELY MADE OF STAINLESS STEEL, IT IS FINISHED WITH ANTI-FRICTION TREATMENTS THAT INCREASE THE FLUIDITY IN OPERATION. EVEN THE AESTHETICS HAVE NOT BEEN NEGLECTED, THE SIDE AND FRONT GROOVES GIVE A SINUOUS SHAPE AND SENSE OF LIGHTNESS.

SMALL PARTS



GAS BLOCK

LOW PROFILE

LOW-PROFILE GAS BLOCK FOR BARRELS WITH STANDARD DIAMETER OF .750", FEATURING CLAMP-ON LOCKING SYSTEM WITH HIGH RESISTANCE TORX SCREWS. IT CAN BE USED WITH HANDGUARDS WITH A MINIMUM INTERNAL DIAMETER OF 35MM.

THE GAS BLOCK INCLUDES THE "GAS TUBE ROLL PIN".

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO CORROSION AND GUNPOWDER RESIDUES.

WEIGHT: 64 GR



LOW PROFILE ADJ

LOW-PROFILE GAS BLOCK FOR BARRELS WITH STANDARD DIAMETER OF .750", FEATURING CLAMP-ON LOCKING SYSTEM WITH HIGH RESISTANCE TORX SCREWS. IT CAN BE USED WITH HANDGUARDS WITH A MINIMUM INTERNAL DIAMETER OF 35MM. TYPICALLY DESIGNED FOR SPORTING ACTIVITY IT HAS BEEN LIGHTENED BY SIDE WINDOWS.

THE PECULIARITY OF OUR GAS BLOCK IS THE PRESENCE OF DOUBLE SCREW, ONE THAT ALLOWS ADJUSTMENT OF THE GAS FROM THE OUTSIDE AND ANOTHER TO BLOCK THE CALIBRATION.

THE GAS BLOCK INCLUDES THE "GAS TUBE ROLL PIN".

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO CORROSION AND GUNPOWDER RESIDUES.

WEIGHT: 54GR



LOW PROFILE .936

LOW-PROFILE GAS BLOCK FOR BULL BARRELS WITH A DIAMETER OF .936". IT CAN BE USED WITH HANDGUARDS WITH A MINIMUM INTERNAL DIAMETER OF 35MM.

THE GAS BLOCK INCLUDES THE "GAS TUBE ROLL PIN".

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS IN ORDER TO MAKE THE NON-STICK SURFACE TO CORROSION AND GUNPOWDER RESIDUES.

WEIGHT: 50 GR



GAS TUBE

AVAILABLE IN FOUR LENGTHS : PISTOL, CARBINE, MID AND RIFLE.

SMALL PARTS

TRIGGER KIT TACTICAL

THE TRIGGER KIT "TACTICAL" FEATURES A COMBINATION OF STANDARD MIL-SPEC WITH THE LIGHT WEIGHTED SPRING KIT. THE JOINT ASSEMBLY ALLOWS THE LIGHTENING OF THE TRIGGER, MAKING IT OPTIMAL FOR TACTICAL USE.

THE PACKAGE INCLUDES TRIGGER, HAMMER AND DISCONNECTOR WITH THE THREE LIGHT SPRINGS.

IT IS MADE OF QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS AND BLACK PHOSPHATIZATION.



TRIGGER KIT ULTRA COMPETITION

THE TRIGGER KIT "ULTRA", ALL OF OUR DESIGN, IT IS DESIGNED FOR TOP-LEVEL SPORT ACTIVITIES. ITS MODULARITY MAKES IT FUNCTIONAL ALSO FOR PRECISION SHOOTING. IT IS NOT COMPATIBLE WITH MILITARY AMMUNITION. FULLY ADJUSTABLE, WITH VERY SHORT RESET, IT IS CHARACTERIZED BY DIRECT OPERATION (ONE STAGE).

THE PACKAGE INCLUDES THE TRIGGER, WHOSE CLAW SHAPE AND CORRESPONDING GROOVES PROVIDE UNIQUE DESIGN AND LIGHTNESS, THE HAMMER AND THE DISCONNECTOR, ALSO DESIGNED TO BE AS LIGHTWEIGHT AS POSSIBLE AND EASILY IDENTIFIABLE AS THE ADC PRODUCT AND THE 3 LIGHT SPRINGS CORRESPONDING.

ONLY AVAILABLE WITH SMALL PINS .154". WITH A PROPER ADJUSTMENT, YOU CAN ACHIEVE A REDUCTION OF THE TRIGGER WEIGHT UP TO 2.5 LB.

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS TO MAKE THE CONTACT SURFACES RESISTANT AND UNALTERED OVER TIME.



SAFETY SEL. AMBI 90°-45°

SAFETY SELECTOR AMBI THAT OFFERS THE OPTION OF BEING INSTALLED AT 90 DEGREES OR 45 DEGREES.

IT HAS A CENTRAL SCREW THAT ALLOWS SAFE ADJUSTMENT, MAKING IT PERFECTLY OPERATIONAL BOTH ASSEMBLED ON THE TRIGGER KIT ULTRA AND ON ALL OTHER TRIGGER GROUP ON THE MARKET.

THE PACKAGE INCLUDES A SHORT EXTERNAL LEVER AND A REVERSIBLE STANDARD ONE THAT ALLOW AMBIDEXTROUS USE.

THE AESTHETIC PECULIARITY IS THE SHAPE OF THE ACE OF SPADES, THE ADC BRAND.





BOLT CATCH OVS

BOLT CATCH OVERSIZED BOTH INTERNALLY AND EXTERNALLY. VISIBLE PROLONGED INTERNAL FLAP THAT ALLOWS ADAPTABILITY WITH ALL MAGAZINES. THE KNURLED OUTER SURFACE IS GREAT FOR IMPROVING ITS GRIP.

IT IS MADE OF HIGH QUALITY STEEL AND SUBJECTED TO HEAT TREATMENTS TO MAKE THE CONTACT SURFACES RESISTANT AND UNALTERED OVER TIME.



MAG RELEASE OVS

MAG RELEASE OVERSIZED, MADE UP OF TWO DIFFERENT PIECES TO ENSURE GREATER FUNCTIONALITY WHILE ASSEMBLY PHASE.

THE KNURLED OUTER SURFACE IS GREAT FOR IMPROVING ITS GRIP, AS WELL AS THE ELONGATED SHAPE THAT MAKES THE RELEASE EASY EVEN FOR THOSE WITH SMALL HANDS.



TACTICAL LATCH AMBI OVS

TACTICAL LATCH OVERSIZED, IDEAL FOR TACTICAL USE, ALLOWS QUICK AND FLUID RELEASE.

COMPLETELY MADE OF ALUMINUM HAS BEEN SUBJECTED TO HARD ANODIZING TREATMENT TO MAKE IT MORE DURABLE.



BUFFER A2 COMPETITION

IDEAL FOR SPORTING USE, THIS HAS BEEN MADE LIGHTER THAN THE STANDARD A2 AND IT IS THEREFORE COMPATIBLE WITH OUR LIGHTWEIGHT CARRIERS AND SPRING A2.

IT CAN BE USED ONLY WITH FIXED STOCKS.

WEIGHT: 85 GR



STOCK A2 COMPETITION

PLASTIC FIXED STOCK, IDEAL FOR SPORTING ACTIVITIES.



KIT A2 - TUBE BUFFER SPRING

THE PACKAGE ALLOWS THE VARIATION FROM COLLAPSIBLE TO FIXED AND INCLUDES TUBE, BUFFER, SPRING AND SCREW.



KIT STOCK M4

THE PACKAGE INCLUDES TUBE, BUFFER AND SPRING. IT IS COMPATIBLE WITH ALL AR15 SYSTEMS.



SIGHT RISER BLOCK ADJ

SUPPORT BASE WITH RAIL FOR SCOPE, CHARACTERIZED BY AN ADJUSTMENT WHEEL AND TWO LOW TOLERANCE SLIDING SHAFTS THAT ALLOW ACCURATE CALIBRATION. ITS DESIGN AND IMPLEMENTATION ARE THE RESULT OF SYNERGIES BETWEEN THE BEST ADC OFFICIAL SHOOTERS AND THE MULTI-YEAR EXPERIENCE OF THE COMPANY STAFF.

100% ADC PRODUCT MADE IN ITALY, IS MADE OF ALUMINUM AND STAINLESS STEEL.

IT IS NOT COMPATIBLE WITH BULL BARRELS.



RECOIL REDUCER

A RECOIL REDUCER DESIGNED TO ELIMINATE VIBRATION AND ANNOYING NOISE THAT CHARACTERIZES THE OPERATION OF AR PLATFORMS.


THE PACKAGE INCLUDES THE SPRING SYSTEM AND THICKNESS BODY FOR POTENTIAL USE OF FIXED CALCIUM.

SPRING & PINS



SPRING KIT – REDUCED POWER

SPRINGS KIT FOR LIGHTENING TRIGGER. OPPORTUNITY TO USE TWO DIFFERENT SPRING WEIGHTS, ONE (RED) IDEAL FOR TACTICAL USE, THE OTHER (WHITE) FOR SPORTING ACTIVITIES, WHICH ALLOWS THE REDUCTION OF THE TRIGGER WEIGHT UP TO A KILO.



SPRING STOCK A2

LIGHTWEIGHT SPRING FOR FIXED STOCK. IDEAL FOR SPORTING ACTIVITIES AND FOR LIGHTWEIGHED CARRIERS.



PIN ANTI-WALK OVS

INCREASED PINS, WITH EXTERNAL SCREWS THAT ENSURE A PRECISE ALIGNMENT BETWEEN TRIGGER AND HAMMER, AVOIDING DEFORMATION OF THE TRIGGER.

THEY ARE MADE OF HIGH QUALITY STEEL, SUBJECTED TO HEAT TREATMENTS AND FINISHED WITH BLACK PHOSPHATATION.



PIN UPPER/LOWER OVS

INCREASED AND CALIBRATED PINS, SPECIALLY DESIGNED TO REDUCE COUPLING TOLERANCES BETWEEN UPPER AND LOWER.

THEY ARE MADE OF HIGH QUALITY STEEL, SUBJECTED TO HEAT TREATMENTS AND FINISHED WITH BLACK PHOSPHATATION.

AVAILABLE IN DIAMETERS : 6,35 / 6,325 / 6,30 (INTERMEDIATE) / 6,275





ADC ARMI DALLERA CUSTOM SRL

VIA GUIDO ROSSA, 4

25062 - CONCESIO (BS)

WWW.ADCCUSTOM.COM